



深圳市安欣美电子科技有限公司



SPECIFICATION FOR APPROVAL

CUSTOMER

CUSTOMER P/N

DESCRIPTION/SPEC

EDITION

DATE

FJC2-F224501R

A

2023/9/6

MADE BY: LIANG YU

CHECKED BY: 王凯

APPROVED BY: 王凯

CUSTOMER APPROVE

Please fax back after confirm of signature.

深圳市安欣美电子科技有限公司

Add:深圳市南山区西丽街道新高路旺棠大厦501


网址: www.axmchip.com

联系人: 黄先生 18681505326 axmsales008@163.com

修訂履歷 REVISION RESUME

日期 DATE	版次 VERSION	修訂目的 PURPOSE	修訂內容概述 REVISION DESCRIPTION	備註 REMARK
2023.05.17	A	首次送承認書 INITIAL RELEASE		
製作 DRAWN BY:		確認 CHECKED BY:	承認 APPROVED BY:	

SPECIFICATION FOR APPROVAL

CUSTOMER:		CUST.P/N:	
ITEM:	FJC2-F224501R	AXM.P/N:	
(1)Dimensions(mm) : 黑色护壳  成品单重: 103g (REF)		磁芯尺寸	
		A	40.00±1.00
		B	20.00±0.50
		C	25.00±0.60
		装护壳后尺寸	
		A	45.00±0.80
		B	25.00±0.80
		C	21.50±0.80
(2)ELECTRICAL REQUIREMENTS: L: 27 uH min AT 100 KHz/0.1V Z: 55 Ω min AT 1 MHz		(3) TEST CONDITIONS: 1. LCR METER: TH2826 TEST FIXTURE: TH26011BS 2.WIRE: 0.65Φ2UEW*100mm 1/2Ts 3.DRAWING:	
(4)PACKING <input checked="" type="checkbox"/> IN BULK <input type="checkbox"/> VACUUM <input type="checkbox"/> INSERTION PCS/BAGS* BAG/INNER BOX* BOXES/CARTON = PCS PCS/PLATE* PLATES/CARTON= PCS PCS/TRAY* TRAYS/CARTON= PCS		(5) APPEARANCE (1)AREA OF BREAK : < 3 mm2 (2)SUM OF BREAKING AREA : < 4 mm2 (3)DEPTH OF BREAK : < 1 mm	
(6)REMARK: 尊敬的客戶： 請確認好此份承認書后及時回簽一份與我司；若未簽回， 后續訂單以此份承認書為出貨檢驗標準。謝謝！		Approved by <hr/> Checked by <hr/> Drawn by <hr/> DWG.NO.	

TEST DATA FOR PREPRODUCTION SAMPLES

CUSTOMER				CUST. P/N		
ITEM	FJC2-F224501R			AXM. P/N		
TEMP.	25 °C	RH	56 %	DWG.NO.		
WIRE	0.65Φ2UEW*100mm	WINDING	1/2 Ts	Q'TY	5 PCS	
Test Instruments		TH2826				
Meas. Item.	L (uH)	Z (Ω)		A mm	B mm	C mm
Spec./ Yours.						
Spec./Suggest	27 min	55 min		45.00±0.80	25.00±0.80	21.50±0.80
Test Freq.	100KHz/0.1V	1 MHz				
1	46.1	82.2		44.84	24.57	21.54
2	45.0	84.5		44.94	24.88	21.58
3	46.0	87.1		45.00	24.91	21.63
4	45.9	81.5		45.09	24.93	21.60
5	43.4	73.9		44.64	25.03	21.66
6						
7						
8						
9						
10						
\bar{X}	45.28	81.84		44.90	24.86	21.60
R	2.70	13.20		0.45	0.46	0.12
Your Sample.						
REMARK:				Approved by:		
				Checked by:		
				Drawn by:		

FJC2-F224501R

